

# MIG/MAG Welding Gun MEX500WF 4.0m

With central adapter, 500A 80% Duty Cycle CO2, 400A 80% Duty Cycle Argon

Item number: 121060

Packing unit: 1



## PRODUCT DESCRIPTION

With central adapter, 500A 80% Duty Cycle CO2, 400A 80% Duty Cycle Argon



**TECHNICAL CHARACTERISTICS**

|   |   |
|---|---|
| <b>Length (mm):</b>                       | 4   |
| <b>Hose package Connection:</b>           | Euro  |
| <b>Max. current CO2 (A):</b>              | 500   |
| <b>Duty Cycle CO2:</b>                    | 80  |
| <b>Max. current argon mixed gas (A):</b>  | 400   |
| <b>Duty Cycle Argon mixed gas (%):</b>    | 80  |
| <b>Extraction Rate (m<sup>3</sup>/h):</b> | ca. 70  |
| <b>Wire (mm):</b>                         | 0.8 - 3.2                                       |
| <b>Fitted for wire:</b>                   | 1.2mm steel                                     |
| <b>With light:</b>                        | no  |
| <b>Cooling:</b>                           | Water   |
| <b>Swan Neck Angle:</b>                   | 40.0  |
| <b>Swan Neck interchangeable:</b>         | no  |
| <b>Swan Neck rotating (°):</b>            | no  |
| <b>Swan Neck flexible:</b>                | no  |
| <b>Gas nozzle cooled:</b>                 | no  |
| <b>Handle with Joint Ball:</b>            | no  |
| <b>Handle Material:</b>                   | synthetic                                       |
| <b>Fume extraction:</b>                   | yes   |
| <b>Available gas nozzles:</b>             | 54004 54006 54003 54022 54008 54028 54011 54007 |

**DIMENSIONAL DRAWING**

|                 |       |
|-----------------|-------|
| <b>L1 (mm):</b> | 130.0 |
| <b>W1 (°):</b>  | 40.0  |